

Overview

What's New


- Intel® Mobile Pentium® III 1.0 GHz and 900 MHz processors with SpeedStep™ technology
- Up to 30-GB Hard Drive
- CD-RW on select models
- Optional Cable Assembly for Floppy Disk Drive

At A Glance

- Intel Mobile Pentium III 1.0 GHz, 900, 850, 800, 750, 700, 650 MHz processors w/ Intel SpeedStep technology
- Up to 14.1-inch TFT XGA display
- Configurations as light as 4.8 lb/2.2 kg weight
- 1.2 in/3.048 cm thin
- 128-MB or 64-MB SDRAM (100 MHz), Upgradeable to 576 MB
- Up to 30-GB SMART hard drives
- User removable hard drive
- Integrated Mini PCI modem/NIC combo on select models
- Full-size keyboard
- Microsoft® Windows® 2000/Windows NT 4.0 (Dual Install) or Windows 98 SE
- Protected by a three-year, worldwide limited warranty — Certain restrictions and exclusions apply. Consult the Compaq Customer Support Center for details.

What's Special

- Thin and light design with integrated MultiBay
- 4.8 lb/2.2 kg light
- 1.2 in/3.048 cm thin
- Enhanced Battery Life
- Magnesium display enclosure
- Dual battery support
- Common docking solutions across the Armada E and M Series
- Industry leading PC lifecycle solutions



- | | |
|--|---------------------------------------|
| 1. Color Display | 10. Stereo Speaker/Headphone-out port |
| 2. Microphone | 11. Primary Battery |
| 3. Power Switch | 12. Primary Hard Drive |
| 4. RJ-11/RJ-45 ports | 13. Left/Right/Third Mouse Buttons |
| 5. MultiBay (holds 12.7mm diskette drive, CD-RW, 24X CD-ROM, 8X DVD-ROM, SuperDisk 2X LS-120, second battery, second hard drive) | 14. 3D Pointing Device |
| 6. PC Card Slots (2) | 15. Stereo Speakers |
| 7. Battery Charging Light | 16. Cable Lock Connector |
| 8. System-On Light | 17. NTSC/PAL Video Connector |
| 9. Microphone-in port | 18. Lid Switch |
| | 19. Suspend Button |
| | 20. Easy Access Internet Buttons |
| | 21. System Status LEDs |
| | 22. Display Latch |

COMPAQ

Standard Features

Processor and Panel	14.1-inch color TFT XGA with 1024 x 768 resolution (up to 16.7M colors internal)
<i>One of the following:</i>	1.0 GHz on Intel Mobile Pentium III processor
	850 MHz on Intel Mobile Pentium III processor
	800 MHz on Intel Mobile Pentium III processor
	750 MHz on Intel Mobile Pentium III processor
	700 MHz on Intel Mobile Pentium III processor
	650 MHz on Intel Mobile Pentium III processor
	13.3-inch color TFT XGA with 1024 x 768 resolution (up to 16.7M colors internal)
	800 MHz on Intel Mobile Pentium III processor
	700 MHz on Intel Mobile Pentium III processor
	NOTE: Intel Mobile Pentium III processors feature Intel SpeedStep technology.
	NOTE: Mobile Pentium III processors feature 256-KB integrated cache.
Memory	Standard 128 MB (100 MHz) SDRAM (64MB down on board, 64MB slot one, one slot open)
<i>One of the following</i>	Maximum 576 MB (100 MHz) SDRAM
	Standard 64 MB (100 MHz) SDRAM (down on board, two slots open)
	Maximum 576 MB (100 MHz) SDRAM
	NOTE: Due to the non-industry standard nature of some third-party 256 MB memory modules, we strongly recommend using only Compaq branded 256 MB memory modules to ensure compatibility.
Integrated Communications	Type I Mini PCI
	Compaq 56 K (V.90) Modem or
	Compaq 56 K (V.90) Modem plus Intel PRO/100+ NIC
	NOTE: Designed only to allow faster downloads from V.90 compliant sources. Maximum achievable download transmission rates currently do not reach 56 KB/s, and will vary with line conditions.
	NOTE: Modem availability is subject to country regulatory approval
Keyboard	102-key compatible keyboard with isolated, inverted-T cursor control keys, and right-control key, special feature
	hotkeys for instant access to power conservation, QuickLock/QuickBlank (ex: FN+F6), toggle between internal and
	external, or simultaneous displays, battery gauge, speaker volume control, brightness and contrast
Easy Access Internet Buttons	The Armada M700 comes with four Easy Access Buttons designed to increase customer productivity by providing
	one-touch access to helpful Compaq information, favorite Internet destinations, files, or applications.
Pointing Device	EasyPoint IV™ 3D Pointing Stick
PC Card Slots	Two Type II/One Type III PC Card Slot(s) which support both 32-bit CardBus (Full support in Windows 9.x and
	Windows 2000) and 16-bit PC Cards; zoom video support in bottom slot.
Storage	Diskette Drives
	1.44 MB
	Optical Drives - <i>One of the following:</i>
	24X CD-ROM Drive or
	8X DVD-ROM Drive or
	CD-RW Drive
	Hard Drives - <i>One of the following:</i>
	30-GB SMART Hard Drive
	20-GB SMART Hard Drive
	12-GB SMART Hard Drive
	10-GB SMART Hard Drive

Standard Features


Multimedia	Compaq Premier•Sound™ for enhanced stereo audio Integrated 16-bit Sound Blaster Pro-compatible stereo audio Integrated stereo speakers and microphone Software volume control Headphone-out Microphone in Software MPEG1 support, MPEG2 and DVD 8X DVD-ROM Drive with movie playback software (<i>on select models</i>) 24X CD-ROM Drive (<i>on select models</i>) RCA CompositeTV-out port 2X AGP graphics 8-MB SDRAM	
Interfaces	PC Card Enhanced Parallel EPP/ECP Serial Port TV out connector NTSC/PAL External Monitor PS/2 External Keyboard/Pointing Device Expansion Base Headphone/Line-out Microphone in DC Power RJ-11 (modem) RJ-45 (NIC) Infrared Port USB Port LED status indicators	Two Type II/One Type III 1 (can be used to connect external diskette drive) 1 1 1 1 Supports Y-cable in order to attach both Keyboard and Mouse simultaneously 1 1 1 1 1 (Model dependent) 1 (Model dependent) 1 (4 Mb/s support) (IrDA 4 MB compliant. IR performance will vary depending on performance of IR peripherals and application used.) 1 7
Graphics	ATI Mobility Pro, 64-bit video graphics with 8-MB SDRAM for increased color depth and graphics performance	
Operating System	(Dual Install) Windows 2000/Windows NT 4.0 NOTE: On (Dual Install) systems, the end user must make a one-time selection at initial start up. End users who need to change to another Operating System (OS) other than the one originally selected must obtain a new license for that OS. Windows 98 Second Edition	
Software	Compaq Insight Management Agents Compaq Intelligent Manageability Diagnostics for Windows 2000, 9.x or NT DVD Solution Compaq Power Management Compaq Security Management Online Safety and Comfort Guide Acrobat Reader Reference Guide	
System Recovery	Each unit is shipped with a CD kit for quick recovery (erases hard disk and restores manufacturer installed image) and software recovery (installs only selected standard software)	

Standard Features

Intelligent Manageability	Compaq Intelligent Manageability, a key component of PC Lifecycle Solutions, is the broad set of manageability features found on all Compaq Deskpro desktops, Armada Notebooks, Professional Workstation, and ProLiant server products. These best-in-class features on PC clients comply with industry standards, such as DMI and Wired for Management, while pioneering new ground in client manageability. Compaq introduced the industry's first line of manageable clients in 1995 and has been driving the industry ever since. With Compaq's lifecycle management philosophy, enterprises have all of the pieces for end-to-end management and proven tools for hassle-free management of PCs and significantly lower Total Cost of Ownership. Intelligent Manageability offers solutions in the areas of Initial Configuration and Deployment, Asset Tracking and Security, Software Updating and Management, and Fault Notification and Recovery. For more information, visit our website: http://www.compaq.com/im. NOTE: This Web site is available in English only.
Security	Configuration Control Hardware Memory Change Alert Ownership Tag Set-up Password Power-On Password DriveLock QuickLock QuickBlank Enabled for PC SmartCard options
Power Supply	External AC adapter, 6-foot power cord included. Total length including External AC adapter is 12 feet (3.66 Meters)
Battery	The Armada M700 provides 4 hours of battery life using the standard 8-cell Lilon battery. With the additional 6-cell MultiBay battery installed, battery life may be increased to over 6.25 hours. NOTE: Actual results may vary with product model, configuration, and individual usage. Compaq results of 4:01 (hr:min) were achieved running the eTesting Labs Inc.'s BatteryMark™ Test version 4.0.1 on an M700 with an Intel Pentium III 1 GHz processor, 14.1-inch XGA CTFT Display, 128 MB SDRAM, 30 GB HDD, CD-RW, 8-cell Li-Ion battery and 56k V.90 Modem plus 10/100 NIC combo. System parameters were set according to Ziff Davis recommendations: panel brightness 50%, hard drive standby and video idle time 3 minutes, Intel SpeedStep battery optimized mode. The same configuration achieved 6:23 when the CD-RW was replaced with the 6-cell Li-Ion MultiBay battery. NOTE: This test was performed without independent verification by eTesting Labs Inc. eTesting Labs Inc. makes no representations or warranties as to the result of the test. BatteryMark is a trademark of Ziff Davis Publishing Holdings Inc., and affiliate of eTesting Labs Inc., in the U.S. and other countries.
Power Conservation	Intel SpeedStep Technology (allows a Battery Optimized Mode where CPU draws 50% of normal power yet affords 70 to 80 % of maximum PIII processing speed) Hibernation Instant-on via Standby Pop-ups with three presets One custom level of power conservation ACPI compliant
MultiBay Devices	MultiBay devices may be swapped with the system powered on (hot) or in suspend mode (warm) under Windows 98 SE or Windows 2000 (except MultiBay Zip 250 drive or MultiBay secondary hard drive). MultiBay devices can be swapped with system power off under any supported operating system. NOTE: Microsoft Windows NT 4.0 does not support hot swapping of the CD-RW drive.
Service and Support	Compaq Services includes a three-year, Worldwide Limited Warranty, pick-up or carry-in, upgrade to on-site warranty or additional two-year warranty available, and toll-free 7 x 24 hardware technical phone support. NOTE: Certain restrictions and exclusions apply. Consult the Compaq Customer Support Center for details.

Standard Features

Naming Convention The Etymology of a Model name:



Standard Features

Models

UNITED STATES

AM7 P31000T4X20VC12898NP 470011-795 NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE

AM7 P31000T4X20VC128N2NP 470011-793 NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X20VC12898P 470011-791	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE

AM7 P31000T4X20VC128N2P 470011-813	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

UNITED STATES (continued)

AM7 P31000T4X30RC12898NP

470011-798

NAFTA

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2NP

470011-799

NAFTA

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P

470011-801

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC12898P

470011-802

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

UNITED STATES (continued)

AM7 P3850T4X20VC12898P
470006-421

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-422

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-343

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-378

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

FRENCH CANADA

AM7 P31000T4X20VC12898P
470012-016

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-830

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-805

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-806

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

FRENCH CANADA (continued)

AM7 P3850T4X20VC12898P
470006-423

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-424

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-344

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-379

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

EURO

AM7 P31000T4X20V12898P
470011-789

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20V128N2P
470011-790

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30R12898P
470011-808

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30R128N2P
470011-809

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

EURO (continued)

AM7 P3850T4X20V12898P
470006-414

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20V128N2P
470006-418

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10D12898P
470009-890

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10D128N2P
470009-926

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

EURO (continued)

AM7 P3700T3X10D12898P
470006-329

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10D128N2P
470006-340

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

UNITED KINGDOM

AM7 P31000T4X20VC12898P
470011-797

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-826

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-811

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-812

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

UNITED KINGDOM (continued)

AM7 P3850T4X20VC12898P
470006-425

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-426

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-975

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-013

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

UNITED KINGDOM (continued)

AM7 P3800T3X10DC12898P
470010-083

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T3X10DC128N2P
470010-092

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-345

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-380

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

GERMANY

AM7 P31000T4X20VC12898P
470011-800

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-827

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-814

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-815

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

GERMANY (continued)

AM7 P3850T4X20VC12898P
470006-427

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-428

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-976

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-014

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

GERMANY (continued)

AM7 P3800T3X10DC12898P
470010-084

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T3X10DC128N2P
470010-093

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-346

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-382

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

FRANCE

AM7 P31000T4X20VC12898P
470011-796

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-822

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30VC12898P
470011-816

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30VC128N2P
470011-817

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

FRANCE (cont'd)

AM7 P3850T4X20VC12898P
470006-429

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-430

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-977

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-023

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

FRANCE (continued)

AM7 P3700T3X10DC12898P
470006-347

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-383

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

ITALY

AM7 P31000T4X20VC12898P
470011-803

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-833

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-819

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-820

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

ITALY (continued)

AM7 P3850T4X20VC12898P
470006-431

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-432

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-978

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-024

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

ITALY (continued)

AM7 P3800T3X10DC12898P
470010-085

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T3X10DC128N2P
470010-094

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-348

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-384

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SPAIN

AM7 P31000T4X20VC12898P
470011-804

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-834

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-821

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-823

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

SPAIN (continued)

AM7 P3850T4X20VC12898P
470006-433

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-434

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-979

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-025

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SPAIN (continued)

AM7 P3700T3X10DC12898P
470006-349

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-386

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

DENMARK

AM7 P31000T4X20VC12898P
470011-807

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-835

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-824

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-825

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

DENMARK (continued)

AM7 P3850T4X20VC12898P
470006-435

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-436

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-986

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-026

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

DENMARK (continued)

AM7 P3700T3X10DC12898P
470006-350

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-387

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

NORWAY

AM7 P31000T4X20VC12898P
470011-810

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-836

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-831

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0GH
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-832

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

NORWAY (continued)

AM7 P3850T4X20VC12898P
470006-437

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-438

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-987

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-027

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

NORWAY (continued)

AM7 P3800T3X10DC12898P
470010-086

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T3X10DC128N2P
470010-095

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-351

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-388

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SWEDEN/FINLAND

AM7 P31000T4X20VC12898P
470011-818

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-837

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30VC12898P
470011-864

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30VC128N2P
470011-866

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

SWEDEN/FINLAND (continued)

AM7 P3850T4X20VC12898P
470006-439

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-440

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-988

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-028

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SWEDEN/FINLAND (continued)

AM7 P3700T3X10DC12898P
470006-352

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-389

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

PORTUGAL

AM7 P31000T4X20VC12898P
470011-956

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-957

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-959

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC128N2P
470011-961

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

PORTUGAL (continued)

AM7 P3850T4X20VC12898P
470006-441

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-442

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-989

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-029

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

PORTUGAL (continued)

AM7 P3800T3X10DC12898P
470010-087

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T3X10DC128N2P
470010-096

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-353

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-390

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

BELGIUM-FR/NL/US

AM7 P31000T4X20VC12898P
470011-828

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-873

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-875

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

BELGIUM-FR/NL/US (continued)

AM7 P3850T4X20VC12898P
470006-443

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-444

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-990

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-030

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

BELGIUM-FR/NL/US (continued)		
AM7 P3700T3X10DC12898P 470006-355	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq Premier•Sound
	Software	Windows 98 SE
AM7 P3700T3X10DC128N2P 470006-391	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq Premier•Sound
	Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SWISS FR/GR/EN/IT

AM7 P31000T4X20VC12898P
470011-829

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC12898P
470011-879

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC12898P
470006-445

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC12898P
470009-991

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

Standard Features

SWISS FR/GR/EN/IT		
AM7 P3700T3X10DC12898P 470006-356	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq Premier•Sound
	Software	Windows 98 SE

Standard Features

SWISS FR/GR/EN SWISS 1

AM7 P31000T4X20VC128N2P
470011-917

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC128N2P
470011-881

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P3850T4X20VC128N2P
470006-446

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC128N2P
470010-040

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SWISS FR/GR/EN

AM7 P3700T3X10DC128N2P
470006-392

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB
	Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SWISS FR/GR/IT SWISS 2

AM7 P31000T4X20VC128N2P
470011-992

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC128N2P
470011-885

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P3850T4X20VC128N2P
470006-448

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC128N2P
470010-041

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SWISS FR/GR/IT SWISS 2		
AM7 P3700T3X10DC128N2P 470006-393	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq Premier•Sound
	Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

NETHERLANDS

AM7 P31000T4X20VC12898P
470011-886

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-926

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-897

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-898

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

NETHERLANDS (continued)

AM7 P3850T4X20VC12898P
470006-449

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-450

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-992

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-042

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

NETHERLANDS (continued)

AM7 P3700T3X10DC12898P
470006-359

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-394

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

HUNGARY

AM7 P31000T4X20VC12898P
470011-888

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-931

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-899

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-900

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

HUNGARY (continued)

AM7 P3850T4X20VC12898P
470006-451

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-452

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-993

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-043

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

HUNGARY *(continued)*

AM7 P3700T3X10DC12898P
470006-360

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-396

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

TURKEY

AM7 P31000T4X20VC12898P
470011-887

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-932

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-902

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-903

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

TURKEY (continued)

AM7 P3850T4X20VC12898P
470006-453

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-454

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-994

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Soun</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-044

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

TURKEY (continued)

AM7 P3700T3X10DC12898P
470006-361

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-397

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

CZECH REPUBLIC

AM7 P31000T4X20VC12898P
470011-889

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-933

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-906

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-908

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

CZECH REPUBLIC (continued)

AM7 P3850T4X20VC12898P
470006-455

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-456

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-995

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-046

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

CZECH REPUBLIC (continued)

AM7 P3700T3X10DC12898P
470006-362

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-399

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

POLAND/GREEK/ISRAEL

AM7 P31000T4X20VC12898P
470011-890

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-934

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-910

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-911

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

POLAND/GREEK/ISRAEL (continued)

AM7 P3850T4X20VC12898P 470006-457	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 850 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE
AM7 P3850T4X20VC128N2P 470006-458	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 850 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ NT4.0 (Dual Install)
AM7 P3800T4X10DC12898P 470009-996	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE
AM7 P3800T4X10DC128N2P 470010-047	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

POLAND/GREEK/ISRAEL (continued)

AM7 P3800T3X10DC12898P 470010-089	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE
AM7 P3800T3X10DC128N2P 470010-097	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM
		Maximum 576 MB SDRAM
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ NT4.0 (Dual Install)
AM7 P3700T3X10DC12898P 470006-363	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE
AM7 P3700T3X10DC128N2P 470006-400	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

SLOVAK/RUSSIAN/SLOVENIAN

AM7 P31000T4X20VC12898P
470011-891

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-938

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-912

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-913

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

SLOVAK/RUSSIAN/SLOVENIAN (continued)

AM7 P3850T4X20VC12898P
470006-459

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-460

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-997

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-119

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

MIDDLE EAST

AM7 P31000T4X20VC12898P
470011-892

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-950

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-915

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-916

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

MIDDLE EAST (continued)

AM7 P3850T4X20VC12898P
470006-461

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-462

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470010-001

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-069

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

MIDDLE EAST *(continued)*

AM7 P3700T3X10DC12898P
470006-365

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-402

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

JAPAN - JPN

AM7 P31000T4X20VC12898P
470011-893

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-954

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P3850T4X20VC12898P
470006-463

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-464

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

JAPAN - JPN (continued)

AM7 P3700T3X10DC12898P
470006-367

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-403

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

JAPAN-ENG

AM7 P31000T4X20VC12898P
470011-894

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-955

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P3850T4X20VC12898P
470006-465

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-466

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

JAPAN-ENG (continued)

AM7 P3700T3X10DC12898P
470006-368

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-404

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

LTNA

AM7 P31000T4X20VC12898NP
470011-792

NAFTA

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2NP
470011-794

NAFTA

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X20VC12898P
470011-895

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-844

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

LTNA (continued)

AM7 P31000T4X30RC12898NP

470011-918

NAFTA

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2NP

470011-919

NAFTA

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P

470011-920

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P

470011-921

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

LTNA (continued)

AM7 P3850T4X20VC12898P
470006-467

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-468

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470009-970

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470009-972

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

LTNA (continued)

AM7 P3800T4X10DC12898P
470010-004

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-072

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-370

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-405

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

BRAZIL

AM7 P31000T4X20VC12898P
470011-896

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-843

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-924

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-925

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

BRAZIL (continued)

AM7 P3850T4X20VC12898P
470006-469

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-470

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470010-005

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-073

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

BRAZIL (continued)

AM7 P3700T3X10DC12898P
470006-371

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-406

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

APD

AM7 P31000T4X20V12898P
470012-883

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20V128N2P
470012-884

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X20VC12898P
470012-886

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470012-885

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

APD (continued)

AM7 P31000T4X30R12898P
470012-887

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30R128N2P
470012-888

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

APD (continued)

AM7 P3850T4X20VC12898P
470006-471

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-472

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3850T4X20V12898P
470006-416

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20V128N2P
470006-417

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

APD (continued)

AM7 P3800T4X10D12898P
470009-905

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10D128N2P
470009-936

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470010-006

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-074

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

APD (continued)

AM7 P3700T3X10DC12898P
470006-329

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-328

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10D12898P
470006-341

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10D128N2P
470006-342

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

AUSTRALIA

AM7 P31000T4X20VC12898P
470011-901

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-842

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-927

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-928

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

AUSTRALIA (continued)

AM7 P3850T4X20VC12898P
470006-473

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-474

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470010-007

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-075

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

AUSTRALIA (continued)

AM7 P3700T3X10DC12898P
470006-372

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-407

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

PRC

AM7 P31000T4X20VC12898P
470011-904

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-841

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P3850T4X20VC12898P
470006-476

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-477

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

PRC (continued)

AM7 P3800T4X10DC12898P
470010-008

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-076

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T3X10DC12898P
470006-373

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-408

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

TAIWAN

AM7 P31000T4X20VC12898P
470011-905

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-840

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-930

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-929

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

TAIWAN (continued)

AM7 P3850T4X20VC12898P
470006-478

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Soun</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-479

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470010-009

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-078

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

TAIWAN (continued)		
AM7 P3700T3X10DC12898P 470006-374	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq Premier•Sound
	Software	Windows 98 SE
AM7 P3700T3X10DC128N2P 470006-410	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq Premier•Sound
	Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

HONG KONG

AM7 P31000T4X20VC12898P
470011-907

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-839

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-935

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-936

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

HONG KONG *(continued)*

AM7 P3800T4X10DC12898P
470010-010

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-079

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

KOREA

AM7 P31000T4X20VC12898P
470011-909

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X20VC128N2P
470011-838

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

AM7 P31000T4X30RC12898P
470011-939

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P31000T4X30RC128N2P
470011-941

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/NT4.0 (Dual Install)

Standard Features

KOREA (continued)

AM7 P3850T4X20VC12898P
470006-483

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3850T4X20VC128N2P
470006-484

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 850 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3800T4X10DC12898P
470010-011

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3800T4X10DC128N2P
470010-080

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 576 MB SDRAM
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

KOREA *(continued)*

AM7 P3700T3X10DC12898P
470006-376

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T3X10DC128N2P
470006-412

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS

AM7 P3750T4X12VC6458N
206646-xx3

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 750 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	12-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3750T4X12VC6458N
206647-xx2

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 750 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	12-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3750T4X12V6458N
206645-xx2

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 750 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	12-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3750T4X12VC12N2N
206646-xx9

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 750 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	12-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AM7 P3750T4X12VC12N2 206647-xx8	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 750 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/NT 4.0 (Dual Install)

AM7 P3750T4X12V12N2 206645-xx8	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 750 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB
		Maximum 576 MB
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3700T4X12V6458 205860-xx2	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB
		Maximum 576 MB
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AM7 P3700T4X12VM6458N
205861-xx3

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	12-GB SMART
Modem	Mini-PCI V.90 modem
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T4X12VC6458N
205862-xx3

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	12-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98 SE

AM7 P3700T4X12V64N2
205860-xx8

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 700 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X DVD-ROM Drive IDE
Hard Drive	12-GB SMART
Modem	None
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AM7 P3700T4X12VM64N2N 205861-xx9	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB
		Maximum 576 MB
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	Mini-PCI V.90 modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ NT4.0 (Dual Install)

AM7 P3650T4X6D6458 205857-xx2	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 650 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	6-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE

AM7 P3650T4X6DM6458 205858-xx2	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 650 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	6-GB SMART
	Modem	Mini-PCI V.90 modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE

AM7 P3650T4X6DM6458N 205858-xx3	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 650 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB
		Maximum 576 MB
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	6-GB SMART
	Modem	Mini-PCI V.90 modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98 SE

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AM7 P3650T4X6DC6458
205859-xx2

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 650 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	24X CD-ROM Drive IDE
Hard Drive	16-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows NT 4.0

AM7 P3650T4X6DC64N2
205859-xx8

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 650 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X Max CD-ROM Drive IDE
Hard Drive	6-GB SMART
Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

M7 P3650T4X6DM64N2
205858-xx8

Display	14.1-inch color TFT XGA
Processor	Intel Pentium III 650 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 576 MB
Optical Drive	8X Max CD-ROM Drive IDE
Hard Drive	6-GB SMART
Modem	Mini-PCI V.90 modem
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000/ NT4.0 (Dual Install)

Options

Memory	256-MB (100 MHz) Memory Upgrade	161554-B21
	NOTE: Due to the non-industry standard nature of some third-party 256 MB Memory modules, we strongly recommend using only Compaq branded 256 MB Memory modules to ensure compatibility.	
	128-MB (100 MHz) Memory Upgrade	400313-B21
	64-MB (100 MHz) Memory Upgrade	400312-B21
	32-MB (100 MHz) Memory Upgrade	400311-B21
Monitors	TFT8020 Flat Panel Color 18-inch (carbon)	159244-xxx
	TFT5010 Flat Panel Color 15-inch (carbon)	154486-xxx
	S910 19-inch CRT (carbon)	138485-001
	S710 17-inch CRT (carbon)	154499-002
	S510 15-inch CRT (carbon)	168636-002
MultiBay Hard Drives	30-GB SMART Hard Drive – Primary Hard Drive Upgrade/Replacement	227140-B25
	20-GB SMART Hard Drive – Primary Hard Drive Upgrade/Replacement	227141-B25
	30-GB SMART Hard Drive	212791-B25
	20-GB SMART Hard Drive	212790-B25
	10-GB SMART Hard Drive	212789-B25
MultiBay Storage Devices	Zip 250 Drive	217387-B25
	Floppy Drive 1.44	226935-B25
	24X CD-ROM Drive	298452-B25
	8X DVD-ROM Drive	138230-B25
	CD-RW Drive	136186-B25
	2X LS –120 SuperDisk Drive	197895-B25
	IBM 1GB Microdrive (PC card Device)	217390-B25
Connectivity	Compaq M420 56K Global Modem	317900-001
	10/100 TX PC Card UTP Controller	335506-B21
	100BaseTX Ethernet Upgrade	225435-001
	1394 PC Card	177593-B25
	NOTE: For additional compatible PC Cards, view the Compaq PC Card Solutions List on the Compaq Web site at: http://www.compaq.com/support/techpubs/pcmcia/	
Wireless Connectivity	NOTE: This Web site is available in English only.	
	NOTE: Designed only to allow faster downloads from V.90 compliant sources. Maximum achievable download transmission rates currently do not reach 56 KB/s, and will vary with line conditions.	
	Compaq WL100 11 Mb/s Wireless LAN PC Card	146927-001
	Compaq WL400 11 Mb/s Wireless LAN Hardware Access Point	158603-001
	Compaq WL Software Access Point 11Mb/s	157209-B21
Wireless Connectivity	NOTE: For more information on Compaq WLAN Wireless LAN solutions visit: http://www.compaq.com/products/wlan/wl100-specifications.html	
	NOTE: This Web site is available in English only.	

Options

Expansion Bases	ArmadaStation EM	383500-xx1
	ArmadaStation EM With Intel NIC	120266-xx1
	ArmadaStation EM With 3Com NIC	120264-xx1
	ArmadaStation Tower Stand	123129-B25
	Convenience Base EM	382500-xx1
	Convenience Base EM With Intel NIC	120971-xx1
	Convenience Base EM With 3Com NIC	120970-xx1
	Convenience Base Monitor Cover	122931-xx1
	Port Replicator EM	382300-xx1
	PCI IBM Token Ring Card	133749-B21
	PCI Cardbus Reader	127397-B25
Power	Primary Battery (8-cells)	134111-B21
	Primary Battery (6-cells)	134110-B21
	Common Armada Power Solutions – Armada E500, Armada M300 and Armada M700	
	MultiBay Battery (6-cells)	387937-B25
	External Battery Charger	135555-xxx
	AC Adapter 50W	120765-xxx
	Auto Power Adapter/ Charger	401043-B25
	Aircraft Power Adapter	386504-B21
	AC Line Cord (10-ft/3.1 m)	217932-xx2
Input Devices	External Enhanced III Keyboard (Carbon)	118003-xx8
	Compaq 2 Button Mouse (Carbon)	103180-B21
	External 10-Key Numeric Keypad (carbon)	294317-B21
	USB Mouse	195255-B25
Security	Security Cable Lock	294316-B21
	Compaq Smart Card PC Card Reader	135646-B25
	Biometrics PC Card	146805-B25
Useful Accessories	Parallel port cable for Armada M700 FDD	226748-B21
	MP1400 Microportable Projector	174626-xx4
	MP1800 Microportable Projector	180226-xx1
	MP2800 Microportable Projector	180228-xx1
	MP1600 Video Adapter	116298-001
	MP1600 Lamp replacement kit	118052-001
	MP1800/1400 Lamp replacement kit	189789-001
	MP2800 Lamp replacement kit	215464-001
Carrying Cases	Compaq Value Case	294266-B21
	Compaq Workstation Case	294267-B21
	Compaq Global Case	294268-B21
	Compaq Professional Case (nylon)	401366-B21
	Compaq Professional Case (leather)	401367-B21
	Armada M300 and Armada M700 specific	
	Compaq M Series Portfolio Case	167337-B21
	Compaq Ultralight Case	167336-B21

Memory

Compaq Armada M700

STANDARD MEMORY

64-MB SDRAM installed on the System Board

Memory		Slot 1	Slot 2
Standard	64 MB	Empty	Empty
	128 MB	64 MB	Empty

STANDARD MEMORY PLUS OPTIONAL MEMORY

Support for up to 576 MB of SDRAM memory is available with the installation of optional SDRAM Memory Kits in addition to the 64-MB SDRAM on the System Board.

Memory		Slot 1	Slot 2
Up To	192 MB	64 MB	64 MB
	256 MB	64 MB	128 MB
	384 MB	64 MB	256 MB
	448 MB	128 MB	256 MB
	320 MB	128 MB	128 MB
	384 MB	256 MB	64 MB
	576 MB	256 MB	256 MB


NOTE: This chart does not represent all possible memory configurations. Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB memory modules to ensure compatibility.

Following are memory options available from Compaq:

- 256-MB (100 MHz) Memory Upgrade 161554-B21
- 128-MB (100 MHz) Memory Upgrade 400313-B21
- 64-MB (100 MHz) Memory Upgrade 400312-B21
- 32-MB (100 MHz) Memory Upgrade 400311-B21

NOTE: Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB memory modules to ensure compatibility.

Storage



- 1. MultiBay
- 2. Dedicated hard drive bay

DRIVE SUPPORT

System Drive Support	Quantity Supported	Drive Bay Supported
Removable Media		
1.44-MB Diskette Drive	1	MultiBay
24X CD-ROM Drive	1	MultiBay
8X DVD-ROM Drive	1	MultiBay
CD-RW Drive	1	MultiBay
MultiBay Diskette Drive	1	MultiBay; External (through parallel port cable)
SuperDisk 2X LS-120	1	MultiBay
Hard Drives		
30-GB SMART Hard Drive	2	Dedicated hard drive bay
20-GB SMART Hard Drive	2	Dedicated hard drive bay
10-GB SMART Hard Drive	1	Dedicated hard drive bay

Technical Specifications

System Unit	Dimensions (H x W x D)	14.1-inch TFT panel display	1.2 x 12.4 x 9.8 in/3.048 x 31.4 x 24.9 cm
		13.3-inch TFT panel display	1.2 x 12.4 x 9.8 in/3.048 x 31.4 x 24.9 cm
Weight		14.1-inch TFT panel display/weight saver	5.1 lb/2.3 kg
		13.1-inch TFT panel display/weight saver	4.8 lb/2.2 kg
Stand-Alone Power Requirements		Nominal Operating Voltage (Li-Ion)	14.4V (8-cell), 10.8V (6-cell)
		Average Operating Power	15W
		Peak Operating Power	30W
Power Supply		Rated Input Voltage	90 to 264 VAC (auto-switching)
		Rated Input Current	< 60W
		Rated Frequency	47 to 63 Hz
Temperature		Operating	50° to 95° F/10° to 35° C
		Non-operating	–4° to 140° F/–20° to 60° C
Relative Humidity		Operating	10% to 90% relative humidity, non-condensing
		Non-operating	5% to 95% relative humidity, 101.6° F/38.7° C Maximum wetbulb temperature
Shock		Operating	10 G, 11 ms, half-sine
		Non-operating	60 G, 11 ms, half-sine
Vibration		Operating	0.5 G zero-to-peak, 10 to 500 Hz, 0.25 oct/minimum sweep rate
		Non-operating	1.0 G, zero-to-peak, 10 to 500 Hz, 0.5 oct/minimum sweep rate
Maximum Altitude (unpressurized)		Operating	0 to 10,000 ft/(0 to 3,048 m)
		Non-operating	0 to 30,000 ft/(0 to 9,144 m)

Technical Specifications

14.1-Inch Color TFT XGA Display	Dimensions (H x W)	11.22 x 8.46 in/28.5 x 21.5 cm		
	Diagonal Size	14.1 in/35.81 cm		
	Mounting	Internal Panel Supports, Side Mounted		
	Number of Colors	Up to 16.8M		
	Contrast Ratio	150:1		
	Brightness	120nt typ		
	Pixel Resolution	Pitch	0.264 x 0.264 mm	
		Format	1024 x 768	
		Configuration	RGB stripe	
	Backlight	Edge Lit		
	Character Display	80 x 25		
	Total Power Consumption	4.2W		
13.3-Inch Color TFT XGA Display	Dimensions (H x W)	10.6 x 8 in/26.9 x 20.3 cm		
	Diagonal Size	13.3 in/33.8 cm		
	Mounting	Internal Panel Support		
	Number of Colors	Up to 16.8M		
	Contrast Ratio	150:1		
	Brightness	120nt typ		
	Pixel Resolution	Pitch	0.264 x 0.264 mm	
		Format	1024 x 768	
		Configuration	RGB Stripe	
	Backlight	Edge Lit		
	Character Display	80 x 25		
	Total Power Consumption	4.2W		

Technical Specifications

Hard Drives

30 GB

Capacity	30 GB	
Height	0.5 in/12.7 cm	
Width	2.75 in/70 mm	
Interface	ATA-5	
Transfer Rate	Synchronous (Maximum)	66.6 MB/s
	Security	ATA Security
Seek Time (typical reads, including settling)	Single Track	2.5 ms
	Average	12 ms
	Maximum	23 ms
Rotational Speed	4200 rpm	
Logical Blocks	58,605,120	
Operating Temperature	41° to 131° F/5° to 55° C	

20 GB

Capacity	20 GB	
Height	0.374 in/9.5 mm in/12.5 mm	
Width	2.75 in/70 mm	
Interface	ATA-5	
Transfer Rate	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	Security	ATA Security
Seek Time (typical reads, including settling)	Single Track	2.5 ms
	Average	12 ms
	Maximum	23 ms
Rotational Speed	4200 rpm	
Logical Blocks	~ 39,070,080	
Operating Temperature	41° to 131° F/5° to 55° C	

12 GB

Capacity	12 GB	
Height	0.5 in/12.7 mm	
Width	2.75 in/70 mm	
Interface	ATA-4	
Transfer Rate	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	Security	ATA Security
Seek Time (typical reads, including settling)	Single Track	2.5 ms
	Average	12 ms
	Maximum	23 ms
Rotational Speed	4200 rpm	
Logical Blocks	23,579,136	
Operating Temperature	41° to 131° F/5° to 55° C	

Technical Specifications

Hard Drives *(continued)*

10 GB

Capacity	10 GB	
Height	0.5 in/12.7 mm	
Width	2.75 in/70 mm	
Interface	ATA-4	
Transfer Rate	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	Security	ATA Security
Seek Time (typical reads, including settling)	Single Track	3 ms
	Average	12 ms
	Maximum	23 ms
Rotational Speed	4200 rpm	
Logical Blocks	~ 19,792,896	
Operating Temperature	41° to 131° F/5° to 55° C	

6 GB

Capacity	6 GB	
Height	0.4 in/10.2 mm	
Width	2.75 in/70 mm	
Interface	ATA	
Transfer Rate	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	Security	ATA Security
Seek Time (typical reads, including settling)	Single Track	4 ms
	Average	13 ms
	Maximum	23 ms
Rotational Speed	4200 rpm	
Logical Blocks	11,733,120	
Operating Temperature	41° to 131° F/5° to 55° C	

Diskette Drive

Diskette Size	3.5 in	
Activity Indicator	On system	
Height	0.5 in/12.7 mm	
Bytes per Sector	512	
Sectors per track	High density	18 (1.44 MB)/15 (1.2 MB)
	Low density	9
Tracks per side	High density	80 (1.44 MB)/80 (1.2 MB)
	Low density	80
Read/Write heads	2	
Access Times	Track-to track (high/low)	3 ms/6 ms
	Average (high/low)	94 ms/174 ms
	Settling time	15 ms
	Latency average	100 ms

Technical Specifications

External AC Adapter	Dimensions (H x W x D)	1.15 x 2.375 x 1.4 in/2.92 x 6.03 x 3.6 cm	
	Weight	0.66 lb/0.3 kg	
	Power Supply (Input)	Operating Voltage	90 to 260 VAC RMS
		Operating Current	1.1 A RMS
		Operating Frequency Range	47 to 63 Hz AC
		Maximum Transient	4/50 kV
Li-Ion Battery Pack (8-cell)	Dimensions (H x W x D)	4.79 X 4.17 X 0.79 in/121.7 x 106 x 20 mm	
	Weight	0.97 lb/0.44 kg	
	Energy	Voltage	14.8 V
		Amp-hour capacity	3.2 Ah
		Watt-hour capacity	47.4Wh
	Temperature	Operating	32° to 104° F/0° to 40° C
		Non-operating	32° to 140° F/0° to 60° C
Li-Ion Battery Pack (6-cell)	Dimensions (H x W x D)	4.79 X 4.17 X 0.79 in/121.7 x 106 x 20 mm	
	Weight	0.77 lb/0.3 kg	
	Energy	Voltage	11.1 V
		Amp-hour capacity	3.2 Ah
		Watt-hour capacity	35.5 Wh
	Temperature	Operating	32° to 104° F/0° to 40° C
		Non-operating	32° to 140° F/0° to 60° C
CD-RW Drive	Center Hole Diameter	0.59 in/0.39 cm	
	Disk Diameter	12 cm/8 cm	
	Disk Thickness	0.047 in/1.2 mm	
	Track Pitch	0.74 µm	
	Access Times (typical reads, including settling)	Random	< 150 ms
		Full-Stroke	< 225 ms
	Audio Output Level	Line-out	0.7 Vrms
	Cache Buffer	128 KB/s (minimum)	
	Data Transfer Rate (typical, including settling)	Sustained (16X)	150 KB/s
		Sustained 4X CD-RW	5,520 KB/s
		Normal PIO Mode 4 (single burst)	16.6 MB/s
	Start-up Time	< 15 seconds	
	Stop Time	< 6 seconds	

Technical Specifications

8X DVD-ROM Drive	Center Hole Diameter	0.59 in/1.5 cm
	Disk Diameter	12 cm/8 cm
	Disk Thickness	1.2 mm
	Track Pitch	0.74 μ m
	Access Times (typical reads, including settling)	Random < 150 ms
		Full-Stroke < 225 ms
	Audio Output Level	Line-out 0.7 Vrms
	Cache Buffer	128 KB/s (minimum)
	Data Transfer Rate (typical, including settling)	Sustained (16X) 150 KB/s
		Sustained 4X DVD 5,520 KB/s
		Normal PIO Mode 4 (single burst) 16.6 MB/s
	Start-up Time	< 15 seconds
	Stop Time	< 6 seconds
24X CD-ROM Drive	Applicable Disk	CD-ROM (Mode 1, 2 and 3), CD-XA ready (Mode 2, Form 1 and 2), CD-I ready (Mode 2, Form 1 and 2), CD-R (read only), CD Plus, Photo CD (Single and Multi-session), CD-Extra, Video CD, CD-WO (fixed packets only), CD-Bridge
	Center Hole Diameter	0.59 in/1.5 mm
	Disk Diameter	12 cm, 8 cm
	Disk Thickness	0.047 in/1.2 mm
	Track Pitch	1.6 μ m
	Access Times (typical reads, including settling)	Random < 150 ms
		Full-Stroke < 300 ms
	Audio Output Level	Line-out 0.7 Vrms
	Cache Buffer	128 KB
	Data Transfer Rate (typical, including settling)	Sustained (16X) 150 KB/s (sustained 1X)
		Variable 1500 to 3600 KB/s (10X to 24X)
		Normal PIO Mode 4 (single burst) 16.66 MB/s
	Start-up Time	< 8 seconds
	Stop Time	< 4 seconds

Technical Specifications

Compaq 56K(V.90) plus Intel PRO/100+ Mini PCI	Form Factor	Mini-PCI Type 1B per Specification
	OS Support (with all released Service Packs)	Microsoft Windows 95 (OSR2.x), Windows 98 SE (Gold, SE) Windows NT4.0, Windows 2000, DOS Application Support under Windows
	Power Management Support	APM Revision 1.2, ACPI, Compaq Power Management Extensions for Windows NT
	Approvals/Certifications	UL, CSA, NEMKO, CCIB, Industry Canada, FCC Part 68, CTR21, FCC Part 15 Class B, Canadian ICES-003 Class B, C.I.S.P.R.22, Australian ACA, CE Mark, Other Countries
	Modem Device Driver Name	Compaq 56K (V.90) Mini PCI
	Data Mode Capabilities	V.90 (a-law, mu-law) K56flex (a-law, mu-law) V.8bis V.80 V42.bis, MNP5 (Compression) V.42 (LAPM, MNP2-4) (Error Correction) V.34 (file date: 10/96) Optional symbol rates: 2800, 3429 Asymmetric Symbol rates Synchronous primary channel data signaling rates: 3600, 31200 Automatic rate re-negotiation V.32bis V.32 V.23 V.22bis V.22 V.21 Bell 212A Bell 103J
	Fax Mode Capabilities	TIA-578-S (Class 1) T.30, T.4 (Group 3) V.17 V.29 V.27ter V.21 Channel 2
	Command Set	V.250 (Partial) TIA-602 Identification: +GMI, +GMM, +GMR Port control: +IPR, +ICF, +IFC, +IIRR Modulation: +MS, +MR, +MA Error control: +ES, +ER, +EB, +ESR, +ETBM Data compression: +DS, +DR V.251

Technical Specifications

Intel PRO/100+ Mini PCI	Ethernet Features	10 Mbps Ethernet: IEEE 802.3 standard 10Base T 100 Mbps Ethernet: IEEE 802.3u standard 100Base TX Full Duplex at 10 and 100Mb/s Auto-Negotiation Wake on LAN from all power managed states, including soft off (S5) Boot on LAN from OFF Lower Power State on Link Loss
	Data Link Layers	IEEE 802.2 LLC SNAP
	Software support	Artisoft Lantastic 7.0, 8.0, Dedicated Server 1.1 Banyan 7.x, 8.5x IBM LAN Server Version 1.2, 1.3, 2.0, 4.0 Microsoft NT 3.51, NT 4.0. Windows 2000 Novell Netware 3.1x, 4.x, 5.x
	Protocol support	TCP/IP Novell IPX/SPX and Microsoft compatible Novel IPX ODI Microsoft NetBEUI Sun Microsystems PC-NFS Banyan Vines Ethernet IBM DLC

Compaq PCs use genuine Microsoft® Windows®

<http://www.microsoft.com/piracy/howtotell>

©2002 Compaq Information Technologies Group, L.P. All rights reserved. Compaq, the Compaq logo, Armada, Deskpro, ProLiant, and Premier•Sound are registered trademarks or trademarks of Compaq Information Technologies Group, L.P. in the U.S. and/or other countries. Microsoft, Windows and NT are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Pentium, Intel, the Intel Inside Logo, and SpeedStep are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. BatteryMark is a trademark of Ziff Davis Publishing Holdings Inc., and affiliate of eTesting Labs Inc., in the U.S. and other countries. IBM is a registered trademark of IBM Corporation in the U.S. and/or other countries. All other product names mentioned herein may be trademarks of their respective companies.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for Compaq products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.