



Overview (Europe, Middle East, and Africa) - NetVista 6794

↓ Applicable countries and regions

- [General Information](#)
- [Europe, Middle East, and Africa model specific features](#)
- [Enterprise Direct, Indirect Special bid, and Special bid models](#)
- [Frequently accessed documents](#)

General Information ▲ Back to the top	
<u>System board/Form factor</u>	• Micro ATX / Microtower (4x5)
<u>Processor/Front side bus</u>	• Intel Pentium 4 • 400MHz on a front-side bus with SSE2(TM) (Streaming SIMD Extensions 2) and NetBurst Technology.
<u>L2 Cache</u>	• 256KB or 512KB standard and maximum, runs at full processor speed
<u>Chipsets</u>	• Intel 845 chip set • Intel 82845 Memory Controller Hub (MCH) • Intel 82801BA I/O Controller Hub (ICH2) for PCI 2.2 bus, ATA-100 EIDE, ethernet MAC, USB revision 1.1, Low Pin Count Interface • 82802 Firmware Hub • National 87360 super I/O for diskette, parallel, serial, keyboard, and mouse
<u>Memory</u>	• Three 168-pin gold-plated DIMM sockets (two are open) • Supports PC133 CL2 SDRAM UDIMMs • Supports a maximum memory up to 1.5GB • Option part number for memory
<u>Hard disk drive features</u>	• Enhanced IDE (EIDE) • ATA-100 • S.M.A.R.T. • Option part numbers for hard disk drives
<u>Hard disk controller</u>	• Enhanced IDE busmaster • ATA-100 • Two connectors on planar
<u>CD-ROM</u>	• Enhanced IDE/ATAPI interface • Less than 85 ms average access time and 128 KB buffer for look-ahead cache • Vertical or horizontal mount • 12 cm and 8 cm disc compatibility (8 cm horizontal mount only) • Front load tray and front panel audio jack and volume control • Dust seal enclosure • Option part numbers for CD-ROM drives
<u>Onboard audio</u>	• Integrated digital audio • Software-based (done by processor and ICH2); AC '97 interface • ADI 1887 codec • Powered speakers required (no internal speakers)
<u>Power management</u>	• APM 1.2 and ACPI 1.0 compliant

	• OnNow support • Power-on suspend supported (soft on) • S3 supported, wake from USB & keyboard
Power supply	• 185 watts with manual voltage selection switch
Network / Modem	• Onboard Intel 10/100 ethernet • 10BaseT, 100BaseTX • Full duplex • RJ-45 port • Wake On LAN support • Option part numbers network and modem cards
Keyboard and Mouse	• IBM Preferred 106-key keyboard, PS/2 • IBM Standard PS/2 2-button mouse • IBM Sleek mouse (model 6794-NSG) • Option part numbers for keyboard and mouse
Operating systems	• Microsoft Windows 2000 • Microsoft Windows XP Home • Microsoft Windows XP Professional NOTE: Preloaded software utilizes the disk-to-disk recovery method.
Enhanced security	• Promise of Value (POV2) daughtercard attached to system board which enables RF Asset ID, • Embedded security subsystem • System key lock • C2 security switch NOTE: On selected models only
External ports	• Four USB (two in front, two in back) [Ver 1.1] • One ethernet RJ-45 • Two serial 9-pin • One parallel (EPP, ECP), IEEE 1284 compatible • Keyboard and mouse ports • Audio line in, audio line out, and microphone in ports
Slots	• Slot 1: 3/4 length, 32-bit AGP 4X (1.5v) - used • Slot 2: 3/4 length, 32-bit PCI 2.2 (5v) • Slot 3: 3/4 length, 32-bit PCI 2.2 (5v) • Slot 4: 3/4 length, 32-bit PCI 2.2 (5v)
Bays	• Bay 1: 5.25 inch, 1.6 inch, front access, standard CD-ROM • Bay 2: 5.25 inch, 1.6 inch, front access (open) • Bay 3: 3.5 inch (open) • Bay 4: 3.5 inch, slim-line 1 inch, front access, standard floppy diskette drive • Bay 5: 3.5 inch, hard disk drive
Warranty	• Standard warranty is 3 years parts / 1year labor (Refurbished systems may have different warranty terms) • For additional warranty information, refer to the statement of limited warranty.

Europe, Middle East, and Africa model specific features						Back to the top
Models	Processor L2 Cache	Memory	Hard disk drive	CD- ROM	Operating system	Video
6794-11G	Pentium 4 1.6GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows 2000	nVidia Vanta 16MB

6794-17G	Pentium 4 1.6GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows 98SE	nVidia Vanta 16MB
6794-21G	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows 2000	nVidia Vanta 16MB
6794-22G	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows 98SE	nVidia Vanta 16MB
6794-23G	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Home	nVidia Vanta 16MB
6794-26G	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-31G	Pentium 4 2.0GHz 256KB	256MB	40GB 7200RPM	48x CD- ROM	Windows 2000	nVidia Vanta 16MB
6794-37G	Pentium 4 2.0GHz 256KB	256MB	40GB 7200RPM	48x CD- ROM	Windows 2000	nVidia Vanta 16MB
6794-42G	Pentium 4 2.2GHz 256KB	256MB	40GB 7200RPM	48x CD- ROM	Windows 2000	nVidia Vanta 16MB
6794-43G	Pentium 4 2.2GHz 256KB	256MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-49G	Pentium 4 1.7GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-71G	Pentium 4 1.5GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows 98SE	nVidia Vanta 16MB
6794-72G	Pentium 4 1.5GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-73G	Pentium 4 1.6GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows 98SE	nVidia Vanta 16MB
6794-74G	Pentium 4 1.6GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-75G	Pentium 4 1.6GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-77G	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-79G	Pentium 4 1.7GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows XP Professional	nVidia Vanta 16MB
6794-7AG	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD- ROM	Windows 2000	nVidia Vanta 16MB
6794-FAG	See Enterprise Direct, Indirect Special bid and Special bid models					
6794-K1G	See Enterprise Direct, Indirect Special bid and Special bid models					
6794-K2G	See Enterprise Direct, Indirect Special bid and Special bid models					
6794-KCG	See Enterprise Direct, Indirect Special bid and Special bid models					
6794-KDG	See Enterprise Direct, Indirect Special bid and Special bid models					
6794-KGG	See Enterprise Direct, Indirect Special bid and Special bid models					
6794-KHG	See Enterprise Direct, Indirect Special bid and Special bid models					
6794-KJG	See Enterprise Direct, Indirect Special bid and Special bid models					

6794-KSG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-M5G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-M7G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-M9G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MAG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MCG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MFG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MJG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MKG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MLG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MNG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MPG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MQG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-MSG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NAG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NCG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NDG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NKG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NLG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NMG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NPG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-NSG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-P4G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-P5G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-P8G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-P9G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-Q1G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-QPG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-QRG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-QSG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-QVG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-QWG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-QYG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-QZG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-R8G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RAG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RBG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RDG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RJG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RLG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RVG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RWG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-RYG	See Enterprise Direct, Indirect Special bid and Special bid models

6794-S3G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-S4G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SAG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SBG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SCG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SGG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SMG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SRG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SYG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-SZG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-T2G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-T4G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-T5G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-T6G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-T9G	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TBG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TCG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-THG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TJG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TPG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TQG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TRG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TSG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TTG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TUG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TVG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TWG	See Enterprise Direct, Indirect Special bid and Special bid models
6794-TZG	See Enterprise Direct, Indirect Special bid and Special bid models

Enterprise Direct, Indirect Special bid, and Special bid models ▲ Back to the top						
Models	Processor L2 Cache	Memory	Hard disk drive	CD-ROM	Operating system	Video
6794-FAG	Pentium 4 1.7GHz 256KB	128MB	40GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
6794-K1G	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-K2G	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Custom Windows 2000	nVidia Vanta 16MB
6794-KCG	Pentium 4 1.8GHz 256KB	1024MB	40GB 7200RPM	48x CD-ROM	Windows 2000	nVidia Vanta 16MB
6794-KDG	Pentium 4 1.8GHz 256KB	1024MB	40GB 7200RPM	48x CD-ROM	Windows 2000	nVidia GeForce2 MX 32MB
	Other features: Secondary 40GB 7200RPM hard disk drive					
6794-KGG	Pentium 4	256MB	40GB	16x DVD-ROM	Custom Windows	nVidia Vanta

	1.8GHz 256KB		7200RPM		2000	16MB
	Other features: IBM ScrollPoint II mouse, and Promise of Value (POV) kit					
6794-KHG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows NT 4.0	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, and Promise of Value (POV) kit					
6794-KJG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows 2000	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, and Promise of Value (POV) kit					
6794-KSG	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-M5G	Pentium 4 2.0GHz 256KB	384MB	40GB 7200RPM	16x DVD-ROM	Windows XP Professional	nVidia Vanta 16MB
	Other features: White IBM keyboard and white standard mouse					
6794-M7G	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-M9G	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	48x CD-ROM	DOSLicense	nVidia Vanta 16MB
	Other features: IBM Preferred keyboard					
6794-MAG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x CD-ROM	Windows 2000	nVidia Vanta 16MB
6794-MCG	Pentium 4 1.8GHz 256KB	256MB	30GB 7200RPM	48x CD-ROM	Windows 2000	nVidia Vanta 16MB
	Other features: 3 year onsite next business day warranty					
6794-MFG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, and Promise of Value (POV) kit					
6794-MJG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, and Promise of Value (POV) kit					
6794-MKG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
6794-MLG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, 105 key EMEA keyboard, and Promise of Value (POV) kit					
6794-MNG	Pentium 4 2.0GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
6794-MPG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows 2000	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, and Promise of Value (POV) kit					
6794-MQG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows 2000	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, and Promise of Value (POV) kit					
6794-MSG	Pentium 4	256MB	40GB	48x CD-ROM	Custom Windows	nVidia GeForce2

	1.6GHz 256KB		7200RPM		NT 4.0	MX 32MB
	Other features: IBM Standard PS/2 mouse(white) and German keyboard(white)					
6794-NAG	Pentium 4 1.6GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Windows 98SE	nVidia Vanta 16MB
6794-NCG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
6794-NDG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
6794-NKG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
	Other features: IBM ScrollPoint II mouse, IBM Preferred keyboard, and Promise of Value (POV) kit					
6794-NLG	Pentium 4 1.6GHz 256KB	512MB	40GB 7200RPM	16x DVD-ROM	Windows 98SE	nVidia Vanta 16MB
	Other features: IBM Preferred keyboard (black, German) and IBM ScrollPoint Mouse					
6794-NMG	Pentium 4 1.6GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 98SE	nVidia Vanta 16MB
	Other features: IBM Preferred keyboard (black, German) and IBM ScrollPoint Mouse					
6794-NPG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Windows 2000	nVidia Vanta 16MB
6794-NSG	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
	Other features: IBM sleek white mouse, IBM 106 USB keyboard					
6794-P4G	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	8x4x32x8x CD- RW/DVD combo	Windows 2000	nVidia Vanta 16MB
	Other features: Blue illuminated scroll stick IBM slate blue mouse					
6794-P5G	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	24x10x40x CD- RW 16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
	Other features: Blue illuminated scroll stick IBM slate blue mouse					
6794-P8G	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	48x CD-ROM	Windows 98 SE	nVidia Vanta 16MB
	Other features: IBM optical ScrollPoint mouse (black)					
6794-P9G	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
	Other features: IBM optical ScrollPoint mouse (black)					
6794-Q1G	Pentium 4 1.6GHz 256KB	256MB	20GB 5400RPM	48x CD-ROM	Windows 2000	nVidia Vanta 16MB
6794-QPG	Pentium 4 1.6GHz 256KB	512MB	40GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia GeForce2 MX 32MB
6794-QRG	Pentium 4 1.6GHz 256KB	128MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia GeForce2 MX 32MB
	Other features: 56k modem					
6794-QSG	Pentium 4 1.8GHz 256KB	256MB	60GB 7200RPM	16x10x40x CD- RW 16x DVD-ROM	Windows 2000	ATI Radeon 64MB

	Other features: 56k modem					
6794-QVG	Pentium 4 2.0GHz 512KB	384MB	40GB 7200RPM	16x DVD-ROM	Windows XP Professional	nVidia Vanta 16MB
	Other features: Keyboard - white (German)					
6794-QWG	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-QYG	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	16x DVD-ROM	Windows 98SE	nVidia Vanta 16MB
6794-QZG	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	16x DVD-ROM	Windows 98SE	nVidia Vanta 16MB
6794-R8G	Pentium 4 1.8GHz 256KB	256MB	20GB 7200RPM	DVD-ROM	DOS License	nVidia GeForce2 64MB
	Other features: UK English keyboard					
6794-RAG	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia Vanta 16MB
	Other features: IBM optical ScrollPoint mouse (black)					
6794-RBG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidiaVanta 16MB
6794-RDG	Pentium 4 1.6GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-RJG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	None	DOS License	nVidia Vanta 16MB
6794-RLG	Pentium 4 2.0GHz 512KB	512MB	60GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia GeForce2 MX 32MB
	Other features: IBM sleek mouse (white), German keyboard (white)					
6794-RVG	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	16x DVD-ROM	Custom Windows 2000	nVidia Vanta 16MB
	Other features: Promise of Value (POV) kit					
6794-RWG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows 2000	nVidia Vanta 16MB
	Other features: IBM Scrollpoint optical mouse					
6794-RYG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows 2000	nVidia Vanta 16MB
	Other features: IBM Scrollpoint optical mouse, 105 key Preferred keyboard					
6794-S3G	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-S4G	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-SAG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-SBG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows 2000	nVidia Vanta 16MB
	Other features: Promise of Value (POV) kit					
6794-SCG	Pentium 4	256MB	40GB	16x DVD-ROM	Custom Windows	nVidia Vanta

	1.8GHz 256KB		7200RPM		2000	16MB
	Other features: Promise of Value (POV) kit, black IBM Scrollpoint optical mouse					
6794-SGG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
6794-SMG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Windows 2000	nVidia Vanta 16MB
6794-SRG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Custom Windows NT 4.0	nVidia Vanta 16MB
	Other features: Promise of Value (POV) kit					
6794-SYG	Pentium 4 1.6GHz 256KB	256MB	20GB 7200RPM	48x CD-ROM	Windows XP Home	nVidia Vanta 16MB
6794-SZG	Pentium 4 1.6GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia Vanta 16MB
6794-T2G	Pentium 4 1.8GHz 256KB	256MB	20GB 5400RPM	48x CD-ROM	Windows XP Professional	nVidia Vanta 16MB
6794-T4G	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Windows XP Home	nVidia Vanta 16MB
6794-T5G	Pentium 4 2.0GHz 512KB	256GB	20GB 7200RPM	48x CD-ROM	Windows XP Home	nVidia Vanta 16MB
6794-T6G	Pentium 4 2.0GHz 256KB	1.0GB	40GB 7200RPM	16x10x40x CD- RW	Windows 2000	nVidia Vanta 16MB
6794-T9G	Pentium 4 2.0GHz 512KB	256MB	20GB 7200RPM	48x CD-ROM	Windows XP Home	nVidia Vanta 16MB
	Other features: IBM preferred keyboard (white) and Logitech S69 wheel mouse					
6794-TBG	Pentium 4 1.6GHz 256KB	128MB	40GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia Vanta 16MB
6794-TCG	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia Vanta 16MB
6794-THG	Pentium 4 1.8GHz 256KB	128MB	40GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB
6794-TJG	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	None	DOS License	Matrox G450 16MB
6794-TPG	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	48x CD-ROM	Windows XP Home	nVidia Vanta 16MB
6794-TQG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	16x DVD-ROM	Windows 2000	nVidia Vanta 16MB
	Other features: 12x8x32x CD-RW, 8x4x32x8x CD-RW/DVD-ROM, 16/4 Token ring adapter					
6794-TRG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Windows 2000	nVidia Vanta 16MB
6794-TSG	Pentium 4 1.8GHz 256KB	256MB	20GB 7200RPM	48x CD-ROM	Windows XP Home	nVidia Vanta 16MB
	Other features: Logitech S69 Wheel Mouse					
6794-TTG	Pentium 4 1.8GHz	256MB	20GB 7200RPM	48x CD-ROM	DOS License	nVidia Vanta 16MB

	256KB					
	Other features: Logitech S69 Wheel Mouse					
6794-TUG	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia Vanta 16MB
6794-TVG	Pentium 4 1.8GHz 256KB	256MB	40GB 7200RPM	48x CD-ROM	Windows XP Professional	nVidia Vanta 16MB
6794-TWG	Pentium 4 1.8GHz 256KB	512MB	40GB 7200RPM	48x CD-ROM	Windows XP Home	nVidia Vanta16MB
6794-TZG	Pentium 4 1.8GHz 256KB	256MB	20GB 5400RPM	48x CD-ROM	Windows XP Home	nVidia Vanta 16MB

Video adapters	Supported resolutions ▲ Back to the top
nVidia Vanta 16MB - low-profile - AGP 4X adapter - TNT2 Vanta GPU 16MB standard and maximum 143MHz SDRAM - one analog DB-15 connector	640 x 480, 16M colors (60, 72, 75, 85 Hz) 800 x 600, 16M colors (60, 72, 75, 85 Hz) 1024 x 768, 16M colors (60, 70, 75, 85 Hz) 1152 x 864, 16M colors (60, 70, 75, 85 Hz) 1280 x 1024, 16M colors (60, 75, 85 Hz) 1600 x 1200, 16M colors (60, 65, 70, 75, 80, 85 Hz)
nVidia GeForce2 MX 32MB - AGP 4X adapter - GeForce2 MXGPU 32MB standard and maximum - One analog DB-15 connector	640 x 480, 16M colors (60, 72, 75, 85 Hz) 800 x 600, 16M colors (60, 72, 75, 85 Hz) 1024 x 768, 16M colors (60, 70, 75, 85 Hz) 1280 x 1024, 16M colors (60, 75, 85 Hz) 1600 x 1200, 16M colors (60, 65, 70, 75, 80, 85 Hz) 1792 x 1344, 16M colors (60 Hz) 1856 x 1392, 16M colors (60 Hz) 1920 x 1440, 16M colors (60, 75 Hz) 2048 x 1536, 16M colors (60, 75 Hz)
ATI Radeon VE 64MB - AGP 4X adapter 64MB SDRAM - One analog DB-15 connector	640 x 480, 16Mcolors (60, 72, 75, 85 Hz) 800 x 600, 16M colors (60, 72, 75, 85 Hz) 1024 x 768, 16M colors (60, 70, 75, 85 Hz) 1152 x 864, 16M colors (60, 70, 75, 85 Hz) 1280 x 1024, 16M colors (60, 75, 85Hz) 1600 x 1200, 16M colors (60, 65, 70, 75, 80, 85 Hz)
Matrox G450 16MB 256-bit DualBus architecture - Support for AGP 1X, 2X, and 4X 8 to 32 MB frame buffer configurations supported 64-bit Double Data Rate (DDR) / Single Data Rate (SDR) external bus to frame buffer memory	640 x 480, 16M colors @ 200Hz 800 x 600, 16M colors @ 200Hz 1024 x 768, 16M colors @ 160Hz 1152 x 864, 16M colors @ 140Hz 1280 x 1024, 16M colors @ 120Hz 1600 x 1200, 16M colros @ 100Hz 1800 x 1440, 16M colors @ 90Hz 1920 x 1440, 16M colors @ 85Hz 2048 x 1536, 16M colors @ 85Hz

Frequently accessed documents ▲ Back to the top	
Device driver matrix	Hardware maintenance manual
Service parts listing	User guides
Software CD part numbers	Removal and replacements index

Applicable countries and regions

Abu Dhabi, Albania, Algeria, Andorra, Angola, Armenia, Austria, Azerbaijan, Bahrain, Belarus, Belgium, Benin, Bosnia-Herzegovenia, Botswana, Bulgaria, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Rep., Chad, Comoros, Congo, Cote d'Ivoire, Croatia, Cyprus, Czech Republic, Dem. Rep. of Congo, Denmark, Djibouti, Dubai, Egypt, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Finland, Former Yugoslav

Republic of Macedonia, France, French Guiana, French Polynesia, Gabon, Gambia, Georgia, Germany, Ghana, Greece, Greenland, Guadeloupe, Guinea, Guinea-Bissau, Hungary, Iceland, Ireland, Israel, Italy, Jordan, Kazakhstan, Kenya, Kuwait, Kyrgystan, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Mali, Malta, Martinique, Mauritania, Mauritius, Mayotte, Monaco, Morocco, Mozambique, Namibia, Netherlands, New Caledonia, Niger, Nigeria, Norway, Oman, Pakistan, Poland, Portugal, Qatar, Republic of Moldova, Reunion, Romania, Russian Federation, Rwanda, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia, Seychelles, Sierra Leone, Slovakia, Slovenia, Somalia, South Africa, Spain, Sudan, Swaziland, Sweden, Switzerland, Syria, Tajikistan, Tanzania, Togo, Tunisia, Turkey, Turkmenistan, Uganda, Ukraine, United Arab Emirates, United Kingdom, United Republic of Tanzania, Uzbekistan, Vanuatu, Wallis and Futuna, Western Sahara, Yemen, Yugoslavia, Zambia, Zimbabwe

[↑ Back to top](#)

Document id: MIGR-41012

Last modified: 2004-09-28

Copyright © 2005 IBM Corporation

Copyright © Lenovo 2005, all rights reserved